

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









## Flange cover - DFS-SP-H 2,5 - 3061431

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)

Flange cover, Length: 35.8 mm, Width: 4.5 mm, Height: 24.7 mm, Color: gray



Can be snapped on

### Product description

can be snapped onto the SP-H 2,5/... and PP-H 2,5/... plugs

### **Product Features**

✓ Automatic latching in self-locking flange

### Key commercial data

Packing unit	1 PCE
Custom tariff number	85389099
Country of origin	Poland

### Technical data

### General

Color	gray
Insulating material	PA
Inflammability class according to UL 94	V0

### **Dimensions**

Width	4.5 mm
Length	35.8 mm
Height	24.7 mm

### Classifications

### eCl@ss

eCl@ss 4.0	27141111
eCl@ss 4.1	27141111



# Flange cover - DFS-SP-H 2,5 - 3061431

### Classifications

### eCl@ss

eCl@ss 5.0	27141145
eCl@ss 5.1	27141145
eCl@ss 6.0	27149214
eCl@ss 7.0	27149214
eCl@ss 8.0	27149214

#### **ETIM**

ETIM 4.0	EC000886
ETIM 5.0	EC000886

### **UNSPSC**

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121411
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	39121411

### Accessories

### Additional products

Self-locking flange - ST 2,5/1P-FS - 3061376



Self-locking flange, Width: 5.2 mm, Height: 35.3 mm, Color: gray, Mounting type: NS 35/7,5, NS 35/15

Self-locking flange - ST 2,5-TWIN/1P-FS - 3061389



Self-locking flange, Width: 5.2 mm, Height: 35.3 mm, Color: gray, Mounting type: NS 35/7,5, NS 35/15



### Flange cover - DFS-SP-H 2,5 - 3061431

### Accessories

Self-locking flange - ST 2,5-QUATTRO/2P-FS - 3061392



Self-locking flange, Width: 5.2 mm, Height: 35.3 mm, Color: gray, Mounting type: NS 35/7,5, NS 35/15

Self-locking flange - ST 2,5-QUATTRO/4P-FS - 3061402



Self-locking flange, Width: 5.2 mm, Height: 35.3 mm, Color: gray, Mounting type: NS 35/7,5, NS 35/15

Self-locking flange - ST 2,5/2P-FS - 3061415



Self-locking flange, Width: 5.2 mm, Height: 35.3 mm, Color: gray, Mounting type: NS 35/7,5, NS 35/15

Self-locking flange - STTB 2,5/2P-FS - 3061428



Self-locking flange, Width: 5.2 mm, Height: 40 mm, Color: gray, Mounting type: NS 35/7,5, NS 35/15

© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com