



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







BB(20:1) ④

NOTE

| | |
|---|--|
| 1 | DIMENSIONS FROM REFERENCE SURFACE A (BOTTOM SURFACE OF HOUSING). |
| 2 | LEAD CO-PLANARITY SHALL BE 0.1 MAX. |
| 3 | LENGTH AFTER FPC IS INSERTED. |
| 4 | $0.3^{+0.04}_{-0.03}$ CAN BE APPLIED WITH LEAD PLATED. |

5 NOTE THAT PREVENTIVE HOLE FOR SINK MARK COULD BE ADDED FOR IMPROVEMENT.
THE QUALITY REMAINS GOOD, EVEN WITH THE DARK SPOTS, WHICH COULD OCCASIONALLY OCCUR ON MOLDED PLASTIC.



| | | | | | | |
|----------------|-----------------|----------------------|---------------------|----------------------|--------------------------------|--------------------------------|
| 3 | PHOSPHOR BRONZE | GOLD PLATING (FLASH) | | | | |
| 2 | LCP | BLACK | UL94V-0 | | | |
| 1 | LCP | BELGE | UL94V-0 | 4 | PHOSPHOR BRONZE | GOLD PLATING (FLASH) |
| NO. | MATERIAL | FINISH, REMARKS | | NO. | MATERIAL | FINISH, REMARKS |
| CODE NO. (OLD) | | | DRAWN | DESIGNED | CHECKED | APPROVED |
| | | | T. OONO 06.07.26 | T. MURAI 06.07.26 | <i>R. Ishiyama</i> 06.07.27 | <i>R. Ishiyama</i> 06.07.27 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

CODE NO. (OLD)

DRAWN

DESIGNED

CHECKED

APPROVED

RELEASED

| | |
|--|--|
| | |
|--|--|

07:10:00

| | |
|----------|---|
| 07:10:00 | 0 |
|----------|---|


06-07-27

06.07.27


| | |
|---|---|
| ● | ● |
| ● | ● |

| | |
|---|----------------|
|  | DRAWING NO. |
| SCALE | EDC3-153989-01 |

PART NO.
FH23-23S-0.3SHAW(05)

| | | |
|-------------|---|-----------------------------|
| 10 : 1 |  HIROSE ELECTRIC CO., LTD | CODE NO. CL586-1325-8-05 |
| UNITS mm | | |

| | | | | |
|-------------------------------|--------------------------|--|-----------------|--|
| 2 | POLYESTER | 4 | | |
| 1 | POLYSTYRENE | 3 | (CONNECTOR) | |
| NO. | MATERIAL | NO. | MATERIAL | FINISH, REMARKS |
| CODE NO. (OLD) | | DRAWN | | |
| | | T. OONO | T. MURAI | <i>R. Takayanagi</i> <i>R. Takayanagi</i> |
| | | 06.07.26 | 06.07.26 | 06.07.27 |
| | | <i>R. Takayanagi</i> <i>R. Takayanagi</i> | | |
| | | 06.07.27 | | |
| | | 06.07.27 | | |
| | | . . | | |
| DRAWING NO. EDC3-153989-01 | | PART NO. FH23-23S-0.3SHAW(05) | | |
| SCALE 2 : 1 | CODE NO. | | CL586-1325-8-05 | |
| UNITS mm | HIROSE ELECTRIC CO., LTD | | 2 | |



NOTES 1 THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE
2 PER REEL : 2500 CONNECTORS.