

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
FT	0	AD3		REVISED PER ECO-11-004917	11MAR11	RK	HMR

JACKSCREW SOCKET, FIXED
 MATERIAL: SEE TABLE
 FINISH: SEE TABLE

6-32UNC-2B DOUBLE THREAD
 DOUBLE LEAD

4.75±0.05
 [.187±.002]
 DIA

4.75±0.05
 [.187±.002]
 HEX

0.64
 [.025]
 IDENT GROOVE

4-40UNC-2A

5.59 MAX DIA
 [.220]

NUT, HEX, 1 EA
 MATERIAL: CARBON STEEL
 FINISH: $\triangle 1$
 4.67±0.10 [.184±.004] ACROSS FLATS

6.78±0.25
 [.267±.010]

7.92
 [.312]
 MIN

12.32
 [.485]

A
 REF

B

1.02
 0.58
 [.040]
 [.023]

LOCKWASHER, 1 EA
 MATERIAL: STAINLESS STEEL
 FINISH: PASSIVATED

1.57±0.38
 [.062±.015]

	24.43 [.962]	12.06 [.475]	-	STAINLESS STEEL	200875-8
	21.13-21.51 [.832-.847]	8.89 [.350]	-	STAINLESS STEEL	200875-7
$\triangle 2$ SUPERSEDED	24.43 [.962]	12.06 [.475]	-	STAINLESS STEEL	200875-3
SUPERCEDED TO 200875-1	21.13-21.51 [.832-.847]	8.89 [.350]	ZINC PLATED	CARBON STEEL	200875-2
SUPERCEDED TO 200875-7	21.13-21.51 [.832-.847]	8.89 [.350]	-	STAINLESS STEEL	200875-1
	B	A	JACKSCREW SOCKET FINISH	JACKSCREW SOCKET MATERIAL	PART NUMBER

$\triangle 1$ ZINC PLATE

$\triangle 2$ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± -	DWN K.FOLTZ 05/25/94 CHK R.STONE 06/16/94 APVD - PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	NAME JACKSCREW KIT, UNASSEMBLED, FIXED, M SERIES
MATERIAL SEE CALLOUT	FINISH SEE CALLOUT	CUSTOMER DRAWING	SIZE A2 CAGE CODE 00779 DRAWING NO C=200875 RESTRICTED TO - SCALE 4:1 SHEET 1 OF 1 REV AD3

TE Connectivity