imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Path: <u>Home</u> > <u>Enclosure Index</u> > <u>MOREnclosures</u> > *RITEC* - Watertight ABS Plastic







click to enlarge

(Assembled View)

click to enlarge

(Open View)

click to enlarge (Assembled View) Clear Lid

Key Features:

- Ideally suited for mounting printed circuit boards or DIN rail mounted components.
- Material General purpose ABS plastic (material carries a UL flammability rating of UL94 HB).
- Color is a light gray with a light texture. Also available with a clear polycarbonate lid (see table below).
- Gasketed lid with two piece "tongue & groove" construction provides protection against access of oil, dust and water.
- Rubber gasket is included and must be field installed.
- Lid includes smooth recessed area for membrane, label or silkscreen (see chart below for recess size).
- Designed to meet IP 65.
- Lid is secured with self captivating M3.5 stainless steel machine screws (included), threaded into integral stainless steel bushings (for repetitive assembly & disassembly). All stainless steel hardware to avoid corrosion caused by dissimilar metals.
- Lid screws are self captivating (lid holes are threaded with the first installation of lid screws).
- Internal features are maximized for mounting options:
 - Internal DIN rail mounting tabs molded in.
 - Options vary with size. See photo tables for internal views of each size.
- Link here to photo tables of each part number.

Part No.	Part No. ABS with <mark>Clear Lid</mark>	File	AutoCAD .dwg File (zipped)	3D Solid Model .igs & .stp files (zipped)	Units	Length	Width	Height (Includes Lid)	Lid Recess Size
RP1025	RP1025C			ZIP	inches	2.56	2.36	1.57	1.54 x 2.05
		566K			mm	65	60	40	39 x 52
					inches	3.35	3.15	2.17	2.32 x 2.83

RP1065 RP1065C	527K	ZIP 367K	SD ZIP 585K	mm	85	80	55	59 x 72
RP1085 RP1085C		ZIP 256K	3D ZIP 849K	inches	4.13	2.95	1.57	2.56 x 3.07
NF 1003 NF 1003 C	324K			mm	105	75	40	65 x 78
RP1095 RP1095C		ZIP 254K	3D ZIF 847K	inches	4.13	2.95	2.17	2.56 x 3.07
KF 1093 KF 1093C	327K			mm	105	75	55	65 x 78
RP1135 RP1135C		ZIP 267K	3D ZIP 782K	inches	4.92	3.35	2.17	3.03 x 3.90
NF 1155 NF 1155C	326K			mm	125	85	55	77 x 99
RP1205 RP1205C		ZIP 233K	3D ZIF 785K	inches	5.71	4.13	1.57	4.57 x 3.78
NF 1203 NF 1203C	318K			mm	145	105	40	116 x 96
RP1215 RP1215C		ZIP 223K	3D ZIP 692K	inches	5.71	4.13	2.36	4.57 x 3.78
NI 1213 NI 1213C	308K			mm	145	105	60	116 x 96
RP1175 RP1175C	332K	ZIP 240K	867K	inches	6.50	3.35	2.17	2.76 x 5.47
M 11/3 M 11/3C				mm	165	85	55	70 x 139
RP1245 RP1245C		ZIP	3D 595K	inches	6.50	4.92	2.95	5.43 x 4.57
M 1243 M 1243C	325K			mm	165	125	75	138 x 116
RP1285 RP1285C	POF	ZIP	SD ZIP 664K	inches	7.32	5.75	2.95	5.08 x 5.91
M 1203 M 1203 C	283K	212K		mm	186	146	75	129 x 150
RP1455 RP1455C	FOF	ZIP	3D ZIP 720K	inches	8.66	6.50	2.36	7.28 x 5.91
NI 1433 NI 1433C	333K	255K		mm	220	165	60	185 x 150
RP1465 RP1465C	FOF	ZIP	3D ZIF 1,513K	inches	8.66	6.50	3.35	7.28 x 5.91
NF 1403 NF 1403C	384K	384K		mm	220	165	85	185 x 150

Link here to photo tables of each part number

Accessories

Wall Mounting Feet (ABS Plastic):

MF0045



click to enlarge Includes mounting hardware and wall anchors click to enlarge Attached to ABS plastic RP series enclosure

MF0055



click to enlarge Includes mounting hardware and wall anchors



click to enlarge Attached to ABS plastic RP series enclosure

Part No.	Use With Enclosure Part Numbers			
MF0045	Smaller Enclosures - RP1025-RP1285 or RP1025C-RP1285C			
MF0055	Larger Enclosures - RP1455-RP1456 or RP1455C-RP1465C			

Exactly what you are looking for??? Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

our Distributor

Order from your favorite distributor



Copyright; © 2007-2009 Hammond Mfg Co Inc URL: <u>http://www.hammondmfg.com</u>