



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!






Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






5					6					7					8				
COUNT		DESCRIPTION OF REVISIONS			BY	CHKD	DATE		COUNT	DESCRIPTION OF REVISIONS			BY	CHKD	DATE				
3		DIS-H-002465			I.O.	H.V.	07-09-25												
							.								.				
							.								.				
							.								.				


CODE No.	PART No.	NUMBER OF CONTACT	A	B	C
CL543-2047-4-27	DF11CZ-4DP-2V(27)	4	2	8.5	8.7
CL543-2048-7-27	DF11CZ-6DP-2V(27)	6	4	10.5	10.7
CL543-2049-0-27	DF11CZ-8DP-2V(27)	8	6	12.5	12.7
CL543-2050-9-27	DF11CZ-10DP-2V(27)	10	8	14.5	14.7
CL543-2051-1-27	DF11CZ-12DP-2V(27)	12	10	16.5	16.7
CL543-2052-4-27	DF11CZ-14DP-2V(27)	14	12	18.5	18.7
CL543-2053-7-27	DF11CZ-16DP-2V(27)	16	14	20.5	20.7
CL543-2054-0-27	DF11CZ-18DP-2V(27)	18	16	22.5	22.7
CL543-2055-2-27	DF11CZ-20DP-2V(27)	20	18	24.5	24.7
CL543-2056-5-27	DF11CZ-22DP-2V(27)	22	20	26.5	26.7
CL543-2057-8-27	DF11CZ-24DP-2V(27)	24	22	28.5	28.7
CL543-2058-0-27	DF11CZ-26DP-2V(27)	26	24	30.5	30.7
CL543-2059-3-27	DF11CZ-28DP-2V(27)	28	26	32.5	32.7
CL543-2060-2-27	DF11CZ-30DP-2V(27)	30	28	34.5	34.7
CL543-2061-5-27	DF11CZ-32DP-2V(27)	32	30	36.5	36.7
CL543-2062-8-27	DF11CZ-40DP-2V(27)	40	38	44.5	44.7

RECOMMENDED PATTERN(2:1)



NOTES 1 IF THERE IS PATTERN ON ~~XXXXXXXXXX~~ PART, THERE IS A POSSIBILITY THAT IT WILL MAKE CONTACT WITH THE LEADS.
2 LEAD CO-PLANARITY INCLUDE REINFORCED METAL FITTINGS SHALL BE 0.1mm MAX.


2	BRASS	SURFACE: TIN PLATED 1 μ m min UNDER PLATING: NICKEL PLATED 0.5 μ m min		6	POLYESTER	CLEAR (COVER TAPE)
				5	6 > J	CLEAR (EMBOSSED CARRIER TAPE)
1	POLYAMIDE	UL94V-0, NATURAL (BEIGE)	4	POLYAMIDE	BLACK (ADSORPTIVE CAP)	
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS	
CODE NO. (OLD)		DRAWN		DESIGNED	CHECKED	APPROVED
		A. Miura		N. Hirose	H. Umehara	T. Oma
		'06.04.06		'06.04.06	'06.04.06	'06.04.06

	DRAWING NO.	PART NO.
EDC3-307176-02		DF11CZ-*DP-2V(27)


HS
HIROSE ELECTRIC CO., LTD

CODE NO.


CL543-



PART No.	NUMBER OF CONTACT	D	E	F	G	H	J
DF11CZ-40P-2V(27)	4	24.0	—	11.5	13.2	24.4	PS
DF11CZ-60P-2V(27)	6	24.0	—	11.5	15.2	24.4	A-PET
DF11CZ-80P-2V(27)	8	24.0	—	11.5	17.2	24.4	PS
DF11CZ-100P-2V(27)	10	32.0	28.4	14.2	19.2	32.4	PS
DF11CZ-120P-2V(27)	12	32.0	28.4	14.2	21.2	32.4	PS
DF11CZ-140P-2V(27)	14	44.0	40.4	20.2	23.2	44.4	PS
DF11CZ-160P-2V(27)	16	44.0	40.4	20.2	25.2	44.4	A-PET
DF11CZ-180P-2V(27)	18	44.0	40.4	20.2	27.2	44.4	A-PET
DF11CZ-200P-2V(27)	20	44.0	40.4	20.2	29.2	44.4	PS
DF11CZ-220P-2V(27)	22	44.0	40.4	20.2	31.2	44.4	PS
DF11CZ-240P-2V(27)	24	56.0	52.4	26.2	33.2	56.4	PS
DF11CZ-260P-2V(27)	26	56.0	52.4	26.2	35.2	56.4	A-PET
DF11CZ-280P-2V(27)	28	56.0	52.4	26.2	37.2	56.4	A-PET
DF11CZ-300P-2V(27)	30	56.0	52.4	26.2	39.2	56.4	PS
DF11CZ-320P-2V(27)	32	56.0	52.4	26.2	41.2	56.4	PS
DF11CZ-400P-2V(27)	40	72.0	68.4	34.2	43.2	72.4	PS



- NOTES 3 1 REEL:500 CONNECTORS.
- 4 AT THE BEGINNING OF THE REEL, 15 COMPONENTS SHALL BE EMPTY.
AT THE END OF THE REEL, 10 COMPONENTS SHALL BE EMPTY.
- 5 WHEN THE TAPE WIDTH IS 32, 44 AND 56mm, SPROCKET HOLES SHALL BE SET ON BOTH SIDES OF REEL AS SHOWN ON THIS DRAWING.
- 6 THE MATERIAL OF THE EMBOSSED CARRIER TAPE REFERS TO THE TABLE.
- 7 DETAIL OF PART No. LABEL IS WRITTEN IN JAPANESE.
- 8 THE REEL IS POLYETHYLENE PACKAGED WITH AN DRY AGENT INSIDE FOR MOISTURE-PROOF PACKAGING.
- 9 FOR THE STORAGE OF 168 HOURS OR MORE AFTER OPENING THE PACKAGE, KEEP THE PRODUCTS UNDER MOISTURE PROOF CONDITIONS.
- 10 EXCEPT ON THE MATING SURFACE, COMPONENT INFLATION DOES NOT AFFECT THE PRODUCTS PERFORMANCE.

CODE NO. (OLD)		DRAWN		DESIGNED		CHECKED		APPROVED		RELEASED	
		A. Miura		N. Hirose		H. Umehara		T. Oma			
		'06.04.06		'06.04.06		'06.04.06		'06.04.06			
		DRAWING NO.		PART NO.							
SCALE		EDC3-307176-02		DF11CZ-*DP-2V(27)							
FREE											
UNITS				CODE NO.							
mm		HRS HIROSE ELECTRIC CO., LTD		CL543-		2/					