



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832



Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



LOC	DIST	REVISONS						
		F	LTR	DESCRIPTION	DATE	OWN	APVD	
J	-		A	RELEASED	22MAR06	SS	SI	
		A1	REVISED	ECR-06-021383	04SEP06	SS	KS	
		B	REVISED	ECR-10-007503	23APR10	TS	KB	
		B1	REVISED	ECR-10-014182	05JUL10	TS	KB	

-1,-3:AS SHOWN
-1,-3:本図



A - A







TABLE-1

PAPER BOX ダンボール箱 SOFT TRAY プリスタートレイ	PAPER BOX ダンボール箱 SOFT TRAY プリスタートレイ	PAPER BOX ダンボール箱 SOFT TRAY プリスタートレイ	PAPER BOX ダンボール箱 SOFT TRAY プリスタートレイ	OUTER 外装 INNER 内装	PACKING STYLE 梱包形態		
					PBT	SLIDER-L	6
I	I	I	I	BLACK	PBT	SLIDER-R	5
I	I	I	I	REDDISH BROWN	SILICONE	SEAL RING	4
I	—//—	I	—//—	LIGHT GRAY	PBT	RETAINER 89POS	3
—//—	I	—//—	I	NATURAL		RETAINER 126POS	
I	I	I	I	BLACK	PBT	FRONT CAV	2
I	—//—	—//—	—//—	BLACK	PBT	PLUG HSG 89POS FOR CLIP	1
—//—	I	—//—	—//—			PLUG HSG 126POS FOR CLIP	
—//—	—//—	I	—//—			PLUG HSG 89POS	
—//—	—//—	—//—	I			PLUG HSG 126POS	
1612275-4	1612275-3	1612275-2	1612275-1	COLOR	MATERIAL	NAME	ITEM NO.
89POS	126POS	89POS	126POS	AVAILABLE CAVITY POS 使用可能キャビティ数			
69 g	69 g	70 g	70 g	NET WEIGHT 質量			






- MATING CONNECTOR IS(P/N):
1612275-1/-3(126POS):1612272(186POS)
1612275-2/-4(89POS):1717313(149POS)
- HANDLING OF THIS PART SHOULD FOLLOW INSTRUCTION SHEET NO.411-78084.
- COMPONENTS OF THIS PART;SEE TABLE-1.
- THIS PRODUCT IS SHIPPED WITH RETAINER PRE-LOCKED POSITION.
- ASSEMBLED BY CUSTOMER.
- LEVER P/N FOR SUPPLEMENT(P/N):1612281
- PLEASE USE A WIRE COVER, WHEN YOU CANNOT SECURE THE WORKING SPACE BETWEEN A LEVER AND AN ELECTRIC WIRE.
- 1, -2 ARE THE CLIP NON-CORRESPONDENCES.

- 嵌合相手品番(P/N):
1612275-1/-3(126POS):1612272(186POS)
1612275-2/-4(89POS):1717313(149POS)
- 本製品の取扱は取扱説明書NO.411-78084に従うこと
- 本製品の構成部品:TABLE-1参照
- リテーナは仮係止状態で出荷される。
- レバーは顧客にて組立てられる。
- 補給用/リターン品番(P/N):1612281
- レバーと電線の間隔(作業スペース)が確保出来ない時はカバーを使用下さい。
- 1,-2は、フリップ非対応です。

DIMENSIONS: 単位: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 寸法の公差 ±0.3		OWN S. SHISHIKURA Z2MAR06 CHK K. SAKAMAKI Z2MAR06 APVD S. ISOHATA Z2MAR06		NAME S. ISOHATA	
MATERIAL 材料 SEE TABLE		FINISH 仕上げ SEE TABLE		WEIGHT 重量 SEE TABLE		SIZE 寸法 114-5336	
CUSTOMER DRAWING		SCALE 縮尺 2:1		SHEET 枚数 1		REV 改訂 B1	

LOC	DIST	REVISIONS			
		REV	LYR	DESCRIPTION	DATE
J	-	-	-	SEE SHEET 1	-

-2, -4: AS SHOWN
-2, -4: 本図



THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. IT IS SUBJECT TO CHANGE AND WITHOUT WARRANTY OF ANY KIND. THE USER SHALL BE RESPONSIBLE FOR THE LATEST REVISION.				OWN -		Tyco Electronics Corporation Kawasaki, Japan		
DIMENSIONS: 単位: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		CHK -	NAME 氏名	PRODUCT SPEC 製品規格	SEALD EFI ECU 0.64/2.31 1/0 CONNECTOR 126POS/89POS PLUG HOUSING ASSY	
		1 P L C ±0.1	1 P L C ±0.1	APVD -				
MATERIAL 材料		2 P R G L E ±0.01	2 P R G L E ±0.01	FINISH 仕上	SIZE A1	CASE CODE 00779	DRAWING NO 1612275	RESTRICTED TO -
		3 P L C ±0.01	3 P L C ±0.01					
		4 P L C ±0.001	4 P L C ±0.001	WEIGHT -		CUSTOMER DRAWING		
		5 P L C ±0.001	5 P L C ±0.001	SCALE 2:1		SHEET 2 of 2		REV B