



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





10	9	8	7	6	5	4	3	2	SD-39860-001																																																																																																																																																																																																		
F F F																																																																																																																																																																																																											
<table><tr><th>NUMBER OF CIRCUITS "XX"</th><th>DIM "A"</th><th>DIM "B"</th><th>MATERIAL NO. (GREEN)</th><th>MATERIAL NO. (STD.)</th><th>MATERIAL NO. (-G30 OPTION)</th><th>MATERIAL NO. (-10A OPTION)</th><th>MATERIAL NO. (-11A OPTION)</th><th>MATERIAL NO. BTS</th><th>MATERIAL NO. GREEN BTS</th><th>ENG. NO. BTS</th><th>ENG. NO. GREEN BTS</th></tr><tr><td>02</td><td>.400</td><td>.200</td><td>39860-3102</td><td>39860-0102</td><td>39861-0102</td><td>39862-0102</td><td>39863-0102</td><td>39868-1201</td><td>39868-3202</td><td>8683-0201-U000</td><td>8683-0203-U000</td></tr><tr><td>03</td><td>.600</td><td>.400</td><td>39860-3103</td><td>39860-0103</td><td>39861-0103</td><td>39862-0103</td><td></td><td>39868-1203</td><td>39868-3203</td><td>8683-0301-U000</td><td>8683-0303-U000</td></tr><tr><td>04</td><td>.800</td><td>.600</td><td>39860-3104</td><td>39860-0104</td><td>39861-0104</td><td>39862-0104</td><td>39863-0104</td><td>39868-1204</td><td>39868-3204</td><td>8683-0401-U000</td><td>8683-0403-U000</td></tr><tr><td>05</td><td>1.000</td><td>.800</td><td>39860-3105</td><td>39860-0105</td><td>39861-0105</td><td>39862-0105</td><td></td><td>39868-1205</td><td>39868-3205</td><td>8683-0501-U000</td><td>8683-0503-U000</td></tr><tr><td>06</td><td>1.200</td><td>1.000</td><td>39860-3106</td><td>39860-0106</td><td>39861-0106</td><td>39862-0106</td><td></td><td>39868-1206</td><td>39868-3206</td><td>8683-0601-U000</td><td>8683-0603-U000</td></tr><tr><td>07</td><td>1.400</td><td>1.200</td><td>39860-3107</td><td>39860-0107</td><td>39861-0107</td><td>39862-0107</td><td></td><td>39868-1207</td><td>39868-3207</td><td>8683-0701-U000</td><td>8683-0703-U000</td></tr><tr><td>08</td><td>1.600</td><td>1.400</td><td>39860-3108</td><td>39860-0108</td><td>39861-0108</td><td>39862-0108</td><td>39863-0108</td><td>39868-1208</td><td>39868-3208</td><td>8683-0801-U000</td><td>8683-0803-U000</td></tr><tr><td>09</td><td>1.800</td><td>1.600</td><td>39860-3109</td><td>39860-0109</td><td>39861-0109</td><td></td><td>39863-0109</td><td>39868-1209</td><td>39868-3209</td><td>8683-0901-U000</td><td>8683-0903-U000</td></tr><tr><td>10</td><td>2.000</td><td>1.800</td><td>39860-3110</td><td>39860-0110</td><td>39861-0110</td><td>39862-0110</td><td></td><td>39868-1210</td><td>39868-3210</td><td>8683-1001-U000</td><td>8683-1003-U000</td></tr><tr><td>11</td><td>2.200</td><td>2.000</td><td>39860-3111</td><td>39860-0111</td><td>39861-0111</td><td></td><td></td><td>39868-1211</td><td>39868-3211</td><td>8683-1101-U000</td><td>8683-1103-U000</td></tr><tr><td>12</td><td>2.400</td><td>2.200</td><td>39860-3112</td><td>39860-0112</td><td>39861-0112</td><td>39862-0112</td><td>39863-0112</td><td>39868-1212</td><td>39868-3212</td><td>8683-1201-U000</td><td>8683-1203-U000</td></tr><tr><td>13</td><td>2.600</td><td>2.400</td><td>39860-3113</td><td>39860-0113</td><td>39861-0113</td><td>39862-0113</td><td></td><td>39868-1213</td><td>39868-3213</td><td>8683-1301-U000</td><td>8683-1303-U000</td></tr><tr><td>14</td><td>2.800</td><td>2.600</td><td>39860-3114</td><td>39860-0114</td><td>39861-0114</td><td>39862-0114</td><td>39863-0114</td><td>39868-1214</td><td>39868-3214</td><td>8683-1401-U000</td><td>8683-1403-U000</td></tr><tr><td>15</td><td>3.000</td><td>2.800</td><td>39860-3115</td><td>39860-0115</td><td>39861-0115</td><td>39862-0115</td><td></td><td>39868-1215</td><td>39868-3215</td><td>8683-1501-U000</td><td>8683-1503-U000</td></tr><tr><td>16</td><td>3.200</td><td>3.000</td><td>39860-3116</td><td>39860-0116</td><td>39861-0116</td><td>39862-0116</td><td></td><td>39868-1216</td><td>39868-3216</td><td>8683-1601-U000</td><td>8683-1603-U000</td></tr></table>												NUMBER OF CIRCUITS "XX"	DIM "A"	DIM "B"	MATERIAL NO. (GREEN)	MATERIAL NO. (STD.)	MATERIAL NO. (-G30 OPTION)	MATERIAL NO. (-10A OPTION)	MATERIAL NO. (-11A OPTION)	MATERIAL NO. BTS	MATERIAL NO. GREEN BTS	ENG. NO. BTS	ENG. NO. GREEN BTS	02	.400	.200	39860-3102	39860-0102	39861-0102	39862-0102	39863-0102	39868-1201	39868-3202	8683-0201-U000	8683-0203-U000	03	.600	.400	39860-3103	39860-0103	39861-0103	39862-0103		39868-1203	39868-3203	8683-0301-U000	8683-0303-U000	04	.800	.600	39860-3104	39860-0104	39861-0104	39862-0104	39863-0104	39868-1204	39868-3204	8683-0401-U000	8683-0403-U000	05	1.000	.800	39860-3105	39860-0105	39861-0105	39862-0105		39868-1205	39868-3205	8683-0501-U000	8683-0503-U000	06	1.200	1.000	39860-3106	39860-0106	39861-0106	39862-0106		39868-1206	39868-3206	8683-0601-U000	8683-0603-U000	07	1.400	1.200	39860-3107	39860-0107	39861-0107	39862-0107		39868-1207	39868-3207	8683-0701-U000	8683-0703-U000	08	1.600	1.400	39860-3108	39860-0108	39861-0108	39862-0108	39863-0108	39868-1208	39868-3208	8683-0801-U000	8683-0803-U000	09	1.800	1.600	39860-3109	39860-0109	39861-0109		39863-0109	39868-1209	39868-3209	8683-0901-U000	8683-0903-U000	10	2.000	1.800	39860-3110	39860-0110	39861-0110	39862-0110		39868-1210	39868-3210	8683-1001-U000	8683-1003-U000	11	2.200	2.000	39860-3111	39860-0111	39861-0111			39868-1211	39868-3211	8683-1101-U000	8683-1103-U000	12	2.400	2.200	39860-3112	39860-0112	39861-0112	39862-0112	39863-0112	39868-1212	39868-3212	8683-1201-U000	8683-1203-U000	13	2.600	2.400	39860-3113	39860-0113	39861-0113	39862-0113		39868-1213	39868-3213	8683-1301-U000	8683-1303-U000	14	2.800	2.600	39860-3114	39860-0114	39861-0114	39862-0114	39863-0114	39868-1214	39868-3214	8683-1401-U000	8683-1403-U000	15	3.000	2.800	39860-3115	39860-0115	39861-0115	39862-0115		39868-1215	39868-3215	8683-1501-U000	8683-1503-U000	16	3.200	3.000	39860-3116	39860-0116	39861-0116	39862-0116		39868-1216	39868-3216	8683-1601-U000	8683-1603-U000
NUMBER OF CIRCUITS "XX"	DIM "A"	DIM "B"	MATERIAL NO. (GREEN)	MATERIAL NO. (STD.)	MATERIAL NO. (-G30 OPTION)	MATERIAL NO. (-10A OPTION)	MATERIAL NO. (-11A OPTION)	MATERIAL NO. BTS	MATERIAL NO. GREEN BTS	ENG. NO. BTS	ENG. NO. GREEN BTS																																																																																																																																																																																																
02	.400	.200	39860-3102	39860-0102	39861-0102	39862-0102	39863-0102	39868-1201	39868-3202	8683-0201-U000	8683-0203-U000																																																																																																																																																																																																
03	.600	.400	39860-3103	39860-0103	39861-0103	39862-0103		39868-1203	39868-3203	8683-0301-U000	8683-0303-U000																																																																																																																																																																																																
04	.800	.600	39860-3104	39860-0104	39861-0104	39862-0104	39863-0104	39868-1204	39868-3204	8683-0401-U000	8683-0403-U000																																																																																																																																																																																																
05	1.000	.800	39860-3105	39860-0105	39861-0105	39862-0105		39868-1205	39868-3205	8683-0501-U000	8683-0503-U000																																																																																																																																																																																																
06	1.200	1.000	39860-3106	39860-0106	39861-0106	39862-0106		39868-1206	39868-3206	8683-0601-U000	8683-0603-U000																																																																																																																																																																																																
07	1.400	1.200	39860-3107	39860-0107	39861-0107	39862-0107		39868-1207	39868-3207	8683-0701-U000	8683-0703-U000																																																																																																																																																																																																
08	1.600	1.400	39860-3108	39860-0108	39861-0108	39862-0108	39863-0108	39868-1208	39868-3208	8683-0801-U000	8683-0803-U000																																																																																																																																																																																																
09	1.800	1.600	39860-3109	39860-0109	39861-0109		39863-0109	39868-1209	39868-3209	8683-0901-U000	8683-0903-U000																																																																																																																																																																																																
10	2.000	1.800	39860-3110	39860-0110	39861-0110	39862-0110		39868-1210	39868-3210	8683-1001-U000	8683-1003-U000																																																																																																																																																																																																
11	2.200	2.000	39860-3111	39860-0111	39861-0111			39868-1211	39868-3211	8683-1101-U000	8683-1103-U000																																																																																																																																																																																																
12	2.400	2.200	39860-3112	39860-0112	39861-0112	39862-0112	39863-0112	39868-1212	39868-3212	8683-1201-U000	8683-1203-U000																																																																																																																																																																																																
13	2.600	2.400	39860-3113	39860-0113	39861-0113	39862-0113		39868-1213	39868-3213	8683-1301-U000	8683-1303-U000																																																																																																																																																																																																
14	2.800	2.600	39860-3114	39860-0114	39861-0114	39862-0114	39863-0114	39868-1214	39868-3214	8683-1401-U000	8683-1403-U000																																																																																																																																																																																																
15	3.000	2.800	39860-3115	39860-0115	39861-0115	39862-0115		39868-1215	39868-3215	8683-1501-U000	8683-1503-U000																																																																																																																																																																																																
16	3.200	3.000	39860-3116	39860-0116	39861-0116	39862-0116		39868-1216	39868-3216	8683-1601-U000	8683-1603-U000																																																																																																																																																																																																
1.8 TYP 1.071 10A CIRCUIT NUMBER IMPRINTING OPTION 1 2 7 8 11A CIRCUIT NUMBER IMPRINTING OPTION 8 7 2 1																																																																																																																																																																																																											
<table><tr><td rowspan="2">EC NO. SEE SHEET 1</td><td rowspan="2">QUALITY SYMBOLS</td><td rowspan="2">GENERAL TOLERANCES: (UNLESS SPECIFIED)</td><td rowspan="2">SCALE 3:1</td><td rowspan="2">DESIGN UNITS ☐ mm ☒ INCH</td><td rowspan="2">THIRD ANGLE PROJECTION</td><td>PROJECT NO. N/A</td><td colspan="2">DIMENSIONS:</td><td>SHT</td><td>REV</td></tr><tr><td>☒ mm INCH</td><td>☐ INCH mm</td><td>☐ mm ONLY</td><td colspan="2">REVISE ON CAD ONLY</td></tr><tr><td>DRWN: CH:K APPR:</td><td>DESCRIPTION</td><td>MAJOR CRITICAL SPC S</td><td>4 PLACES 3 PLACES 2 PLACES 1 PLACE</td><td>±.0015 ±.005 ±.01 ±.3</td><td>DRAWN BY & DATE R. KEMP 12-6-01</td><td colspan="5">TITLE: PLUGGABLE SR BTS ASSY, (.200 CENTERS) WITH KEY FEATURE</td></tr><tr><td>REV</td><td></td><td>ANGULAR: ±2°</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>CHECKED BY & DATE P. WALTZ 12-6-01</td><td colspan="5">APPROVED BY & DATE L. ROTHUS 12-6-01</td></tr><tr><td colspan="3"></td><td colspan="2">CAD FILENAME 8685XX</td><td colspan="2">MATERIAL NO. SEE CHART</td><td colspan="2">DRAWING NO. SD-39860-001</td><td colspan="2">SHEET NO. 2 OF 2</td></tr><tr><td colspan="11">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.</td><td>SIZE B</td></tr></table>												EC NO. SEE SHEET 1	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)	SCALE 3:1	DESIGN UNITS ☐ mm ☒ INCH	THIRD ANGLE PROJECTION	PROJECT NO. N/A	DIMENSIONS:		SHT	REV	☒ mm INCH	☐ INCH mm	☐ mm ONLY	REVISE ON CAD ONLY		DRWN: CH:K APPR:	DESCRIPTION	MAJOR CRITICAL SPC S	4 PLACES 3 PLACES 2 PLACES 1 PLACE	±.0015 ±.005 ±.01 ±.3	DRAWN BY & DATE R. KEMP 12-6-01	TITLE: PLUGGABLE SR BTS ASSY, (.200 CENTERS) WITH KEY FEATURE					REV		ANGULAR: ±2°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY & DATE P. WALTZ 12-6-01	APPROVED BY & DATE L. ROTHUS 12-6-01								CAD FILENAME 8685XX		MATERIAL NO. SEE CHART		DRAWING NO. SD-39860-001		SHEET NO. 2 OF 2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.											SIZE B																																																																																																																																			
EC NO. SEE SHEET 1	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)	SCALE 3:1	DESIGN UNITS ☐ mm ☒ INCH	THIRD ANGLE PROJECTION	PROJECT NO. N/A	DIMENSIONS:		SHT	REV																																																																																																																																																																																																	
						☒ mm INCH	☐ INCH mm	☐ mm ONLY	REVISE ON CAD ONLY																																																																																																																																																																																																		
DRWN: CH:K APPR:	DESCRIPTION	MAJOR CRITICAL SPC S	4 PLACES 3 PLACES 2 PLACES 1 PLACE	±.0015 ±.005 ±.01 ±.3	DRAWN BY & DATE R. KEMP 12-6-01	TITLE: PLUGGABLE SR BTS ASSY, (.200 CENTERS) WITH KEY FEATURE																																																																																																																																																																																																					
REV		ANGULAR: ±2°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY & DATE P. WALTZ 12-6-01	APPROVED BY & DATE L. ROTHUS 12-6-01																																																																																																																																																																																																					
			CAD FILENAME 8685XX		MATERIAL NO. SEE CHART		DRAWING NO. SD-39860-001		SHEET NO. 2 OF 2																																																																																																																																																																																																		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.											SIZE B																																																																																																																																																																																																
10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																		