



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!








## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






PART NO.	CODE NO.	NUMBER OF CONTACTS	A	B	C
DF13-2P-1.25DSA(75)	CL536-0101-9-75	2	1.25	3.15	4.15
DF13-3P-1.25DSA(75)	CL536-0102-1-75	3	2.5	4.4	5.4
DF13-4P-1.25DSA(75)	CL536-0103-4-75	4	3.75	5.65	6.65
DF13-5P-1.25DSA(75)	CL536-0104-7-75	5	5	6.9	7.9
DF13-6P-1.25DSA(75)	CL536-0105-0-75	6	6.25	8.15	9.15
DF13-7P-1.25DSA(75)	CL536-0106-2-75	7	7.5	9.4	10.4
DF13-8P-1.25DSA(75)	CL536-0107-5-75	8	8.75	10.65	11.65
DF13-9P-1.25DSA(75)	CL536-0108-8-75	9	10	11.9	12.9
DF13-10P-1.25DSA(75)	CL536-0109-0-75	10	11.25	13.15	14.15
DF13-11P-1.25DSA(75)	—	11	12.5	14.4	15.4
DF13-12P-1.25DSA(75)	CL536-0111-2-75	12	13.75	15.65	16.65
DF13-13P-1.25DSA(75)	CL536-0112-5-75	13	15	16.9	17.9
DF13-14P-1.25DSA(75)	CL536-0113-8-75	14	16.25	18.15	19.15
DF13-15P-1.25DSA(75)	CL536-0114-0-75	15	17.5	19.4	20.4

2 APPLICATION FIGURE




3 RECOMMENDED PATTERN



- 1 WHEN THIS CONNECTOR HAS TWO OR THREE CONTACTS, THE LOCK OF CONNECTOR SHALL BE SET AT THE CENTER OF HOUSING. IN CASE THAT THE NUMBER OF CONTACTS IS MORE THAN FOUR, THE TWO LOCKS SHALL BE SET IN ACCORDANCE WITH THE DRAWINGS.
- 2 WHEN THIS CONNECTOR MATES WITH DF13-\*S-1.25C, THE MATING HEIGHT IS 5.3mm.
- 3 RECOMMENDED THROUGH HOLE DIA. : φ0.6±0.03

2	BRASS	SURFACE:TIN PLATED 1μm min. UNDER PLATING: COPPER PLATED 1μm min		4	ELASTOMER	GREEN STOPPER	
1	POLYAMIDE	BEIGE (NATURAL), UL94V-0		3	R.PVC	ANTI-ELECTRIFICATION CLEAR STICK	
NO.	MATERIAL	FINISH, REMARKS		NO.	MATERIAL	FINISH, REMARKS	
UNITS	mm	SCALE	COUNT	DESCRIPTION OF REVISIONS		CHECKED	DATE
		S : 1					
<b>HRS</b> HIROSE ELECTRIC CO., LTD.		APPROVED : HS. OKAWA		18.03.20		DRAWING NO. EDC-083673-75-00	
		CHECKED : TS. FUKUSHIMA		18.03.20		PART NO. DF13-*P-1.25DSA(75)	
		DESIGNED : TS. KUMAZAWA		18.03.19		CODE CL536-	
		DRAWN : MK. INOUE		18.03.08		1/2	



PART NO.	CODE NO.	NUMBER OF CONTACTS	QUANTITY OF CONNECTORS
DF13- 2P-1.25DSA(75)	CL536-0101-9-75	2	115
DF13- 3P-1.25DSA(75)	CL536-0102-1-75	3	89
DF13- 4P-1.25DSA(75)	CL536-0103-4-75	4	72
DF13- 5P-1.25DSA(75)	CL536-0104-7-75	5	61
DF13- 6P-1.25DSA(75)	CL536-0105-0-75	6	52
DF13- 7P-1.25DSA(75)	CL536-0106-2-75	7	46
DF13- 8P-1.25DSA(75)	CL536-0107-5-75	8	41
DF13- 9P-1.25DSA(75)	CL536-0108-8-75	9	37
DF13-10P-1.25DSA(75)	CL536-0109-0-75	10	34
DF13-11P-1.25DSA(75)	—	11	31
DF13-12P-1.25DSA(75)	CL536-0111-2-75	12	29
DF13-13P-1.25DSA(75)	CL536-0112-5-75	13	27
DF13-14P-1.25DSA(75)	CL536-0113-8-75	14	25
DF13-15P-1.25DSA(75)	CL536-0114-0-75	15	23

NOTE4. MINIMUM UNIT OF PURCHASE SHALL BE THE QUANTITY OF CONNECTORS IN TUBE.

DRAWING NO.		EDC-083673-75-00	
PART NO.		DF13-*P-1.25DSA(75)	
CODE		CL536-	

△

2

2