



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!





Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com







Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






PART NO.	HRS NO.	CONTACTS	A	B	C	D	E	F
DF14- 2P-1.25H(25)	CL538-0021-4-25	2	7.45	1.25	2.95	3.65	6.45	8.05
DF14- 3P-1.25H(25)	CL538-0022-7-25	3	8.70	2.50	4.20	4.90	7.70	9.30
DF14- 4P-1.25H(25)	CL538-0023-0-25	4	9.95	3.75	5.45	6.15	8.95	10.55
DF14- 5P-1.25H(25)	CL538-0024-2-25	5	11.20	5.00	6.70	7.40	10.20	11.80
DF14- 6P-1.25H(25)	CL538-0025-5-25	6	12.45	6.25	7.95	8.65	11.45	13.05
DF14- 7P-1.25H(25)	CL538-0026-8-25	7	13.70	7.50	9.20	9.90	12.70	14.30
DF14- 8P-1.25H(25)	CL538-0027-0-25	8	14.95	8.75	10.45	11.15	13.95	15.55
DF14- 9P-1.25H(25)	CL538-0028-3-25	9	16.20	10.00	11.70	12.40	15.20	16.80
DF14-10P-1.25H(25)	CL538-0029-6-25	10	17.45	11.25	12.95	13.65	16.45	18.05
DF14-15P-1.25H(25)	CL538-0084-4-25	15	23.70	17.50	19.20	19.90	22.70	24.30
DF14-20P-1.25H(25)	CL538-0089-8-25	20	29.95	23.75	25.45	26.15	28.95	30.55
DF14-25P-1.25H(25)	CL538-0094-8-25	25	36.20	30.00	31.70	32.40	35.20	36.80
DF14-30P-1.25H(25)	CL538-0020-1-25	30	42.45	36.25	37.95	38.65	41.45	43.05


RECOMMENDED PATTERN



NOTE 1. LEAD CO-PLANALITY INCLUDE REINFORCED METAL FITTING SHALL BE 0.1 MAX.
2> WHEN THIS CONNECTOR MATES WITH DF14-*S-1.25C, THE MATING LENGTH IS 7.3mm.
3> FOR CONNECTORS, 2 OR 3 CONTACTS, SIMPLIFIED LOCK HOLE SHALL BE SET AT THE CENTER OF HOUSING.



3	PHOSPHOR BRONZE	TIN-COPPER PLATED 1µm min UNDER PLATING-NICKEL PLATED 0.5µm min	5	S-PVC	RIGID VINYLCHLORIDE	ELECTROSTATIC PROTECTION	
2	BRASS	TIN-COPPER PLATED 1µm min UNDER PLATING-NICKEL PLATED 0.5µm min	4				
1	POLYAMIDE	BEIGE, UL94V-0					
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS		
UNITS	mm	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
		S : 1	2	DIS-H-008680	MI. SAKIMURA	TS. FUKUSHIMA	14.04.11
APPROVED : K.J. KATAYOSE		05.01.05		DRAWING NO.		EDC3-160307-18	
CHECKED : TY. OMA		05.01.05		PART NO.		DF14-*P-1.25H(25)	
DESIGNED : TS. KUMAZAWA		05.01.05		CODE		CL538-	
DRAWN : TS. KUMAZAWA		05.01.05		NO.		1	



DRAWING NO.	EDC3-160307-18		
PART NO.	DF14-*P-1.25H(25)		
CODE NO.	CL538-		2/2