



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



IR5 12:1 DUAL-LASER INFRARED THERMOMETER

°F °C

-22° - 752° F
-30° - 400° C



Dual lasers for more accurate measurements


KLEIN TOOLS 
For Professionals... Since 1857™



IR5 12:1 Dual-Laser Infrared Thermometer



Laser dots indicate the measurement diameter:



The IR5 dual lasers assist in targeting the measurement area. The distance between the two laser spots on the surface of the object being measured approximates the diameter of the circular measurement area from which the infrared sensor is collecting data.

The IR5 is a professional dual-laser targeting infrared thermometer that offers a wide measurement range, a tight distance-to-spot ratio, and several calculation modes to facilitate different temperature measurement applications.

Features:

- Dual-laser Targeting
- 12:1 Distance to spot ratio
- Auto Scan
- Max/Min/Avg/Diff
- High/Low Alarm
- Backlit Display
- Auto Power Off
- Adjustable Emissivity

Measurement

Dual-Laser Targeting		•
Temperature	°F/°C	-22° - 752° F (-30° - 400° C)
Backlight		•
High/Low Alarm	HI/LO	•
Max/Min Value	MAX/MIN	•
Auto Power-Off	Apo	•
Data Hold	HOLD	•
Adjustable Emissivity		0.10 - 1.00

Durability

Drop Protection		6.6 ft. (2 m)
-----------------	--	------------------



Included Accessories:

Pouch, Battery



°F °C
-22° - 752° F
-30° - 400° C

Cat. No.	UPC# 0-92644+	Batteries	Height	Width	Depth	Weight (oz.)
IR5	69030-3	1 x 9V	6.83" (173 mm)	1.85" (47 mm)	4.53" (115 mm)	9.84 (279 g)



CAUTION: Reflective materials may be hotter than indicated. Laser radiation-Do NOT stare into beam. Class 2 laser product.

See our complete line of Test & Measure products

www.kleintools.com



Pats. Pending



© 2016 Klein Tools, Inc.
Lincolnshire, IL 60069-1418
96445 Rev. 03/16 A

KLEIN TOOLS
EST. 1857
For Professionals... Since 1857™