



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us



Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com



Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PRODUCT NUMBER	PITCH
YK331xx0x0J0G	8.25 mm



RECOMMENDED P.C.B LAYOUT
TOP VIEW



MATERIALS & ELECTRICAL

RATED VOLTAGE & CURRENT:	cULus / CQC
WITHSTAND VOLTAGE:	300 V, 20 A / 300 V, 32 A
INSULATION RESISTANCE:	AC 2500V/Min
OPERATING TEMPERATURE RANG:	1000 MΩ OR MORE AT DC 500 V
SCREW TORQUE VALUE:	-40 °C +115 °C
WIRE RANGE:	8.8 Lb-In
1) HOUSING:	22 - 12 AWG
2) TERMINAL:	Thermoplastic, UL 94 V-0 BLACK
3) TERMINAL SCREWS:	BRASS, 0.8t
APPROVAL:	STEEL,M3

APPROVAL:

DIMENSION

Dim A	Nx8.25+2.0
Dim B	(N-1)x8.25

N=Number of poles

Poles	Tolerance
2p-5p	±0.20
6p-10p	±0.25
11p-16p	±0.35
17p-24p	±0.40
25p-32p	±0.50

PART NO.: YK 331xx 0 x 0 JOG

No. of poles
02 2 poles
03 3 poles
... ..
32 32 poles

Plated		
Code	Terminal	Screw
0	G/F	G/F
1	G/F	Zinc
2	Tin	G/F
3	Tin	Zinc

RoHS compliant
(lead<4%)
In copper Alloy

mat'l. code		surface	tolerance	projection	product family
ltr		ASME Y14.5	ASME Y14.5		TERMINAL BLOCK
ecn no	dr	tolerances unless otherwise specified			title
	date	angles	X.±0.5	MM	TERMINAL BLOCK
		flat	X.X±0.3	scale	BARRIER TYPE
		X'±1"	X.XX±0.1		dwg no
		dr	EVAN LU	061614	sheet 1 of 1
		enr	EVAN LU	061614	size
		chr	HANKE FENG	061614	YK331xx0x0J0G
		appd	SHI JUN	061614	A4
sheet index	revision sheet	A			type
	1				CUSTOMER Drawing