mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



HellermannTyton

Specification Sheet

Part Number: 133-01476



Mini-Channel, 1.97" Long, Straight, PPT20, Black, 3000/pkg

Article Number	133-01476
Туре	MINICHNLU
Color	Black (BK)
Features & Benefits	• U-Shape channel that provides 3 sides of protection for wire or bundle. • High-quality polypropylene material with high heat resistance. • 1.97" of protection from abrasion and other environmental factors.
Product Description	The mini-channel family allows a cost effective routing solution that provides protection and configurable routing. Pieces are modular and interchangeable, providing high levels of customization. Mini channels replace engineered channels that are costly to design and develop.
Short Description	Mini-Channel, 1.97" Long, Straight, PPT20, Black, 3000/pkg
Global Part Name	MINICHNLU-PPT20-BK

Length L (Imperial)	1.97
Length L (Metric)	50.00
Width W (Imperial)	1.18
Width W (Metric)	30.00
Height H (Imperial)	0.31
Height H (Metric)	8.00

Material	Polypropylene 20% Talkum (PPT20)
Material Shortcut	PPT20
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +239°F (-40°C to +115°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	3000
Package Quantity (Metric)	3000
Customs Number	3926909987

pcs.

© 2018 HellermannTyton. All rights reserved. Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions