



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





RECOMMENDED PATTERN(2:1)




|   |   |   |
|---|---|---|
| △ | 1 | 2 |
|---|---|---|



STYLE AND DIMENSION OF REEL



POSITION IN WHICH HEAT-RESISTANCE TAPE IS PUT



NOTES 3 : 1 REEL:500 CONNECTORS.

4 : AT THE BEGINNING OF THE REEL, 15 COMPONENTS SHALL BE EMPTY.  
AT THE END OF THE REEL, 10 COMPONENTS SHALL BE EMPTY.

5>:DETAIL OF PART NO. LABEL IS WRITTEN IN JAPANESE.

6 : THE REEL IS POLYETHYLENE PACKAGED WITH AN DRY AGENT INSIDE FOR  
MOISTURE-PROOF PACKAGING.

7 :FOR THE STORAGE OF 168 HOURS OR MORE AFTER OPENING THE PACKAGE,  
KEEP THE PRODUCTS UNDER MOISTURE PROOF CONDITIONS.

8 :EXCEPT ON THE MATING SURFACE, COMPONENT INFLATION DOES NOT  
AFFECT THE PRODUCTS PERFORMANCE.

|                            |                   |          |          |                      |
|----------------------------|-------------------|----------|----------|----------------------|
| SUPPLIER                   | QUANTITY          | PART NO. | CODE NO. | DATE OF MANUFACTURED |
| 5>DETAIL OF PART NO. LABEL | 生産月日              | 年        | 月        | 日                    |
| 図番                         | CL543-*****-22    |          |          |                      |
| 品名                         | DF11CZ-*DS-2V(22) |          |          |                      |
| 納入数量                       | 500KO             |          |          |                      |
| 納入者                        | ヒロセ電機株式会社         |          |          |                      |

| CODE NO.        | PART NO.           | NUMBER OF CONTACT | D    | E    | F  | G    | H     |
|-----------------|--------------------|-------------------|------|------|----|------|-------|
| CL543-2063-0-22 | DF11CZ-40S-2V(22)  | 4                 | 11.5 | —    | 24 | 24.4 | PS    |
| CL543-2064-3-22 | DF11CZ-60S-2V(22)  | 6                 | 11.5 | —    | 24 | 24.4 | PS    |
| CL543-2065-6-22 | DF11CZ-80S-2V(22)  | 8                 | 11.5 | —    | 24 | 24.4 | PS    |
| CL543-2066-9-22 | DF11CZ-100S-2V(22) | 10                | 14.2 | 28.4 | 32 | 32.4 | PS    |
| CL543-2067-1-22 | DF11CZ-120S-2V(22) | 12                | 14.2 | 28.4 | 32 | 32.4 | PS    |
| CL543-2068-4-22 | DF11CZ-140S-2V(22) | 14                | 20.2 | 40.4 | 44 | 44.4 | PS    |
| CL543-2069-7-22 | DF11CZ-160S-2V(22) | 16                | 20.2 | 40.4 | 44 | 44.4 | PS    |
| CL543-2070-6-22 | DF11CZ-180S-2V(22) | 18                | 20.2 | 40.4 | 44 | 44.4 | PS    |
| CL543-2071-9-22 | DF11CZ-200S-2V(22) | 20                | 26.2 | 52.4 | 56 | 56.4 | PS    |
| CL543-2072-1-22 | DF11CZ-220S-2V(22) | 22                | 20.2 | 40.4 | 44 | 44.4 | PS    |
| CL543-2073-4-22 | DF11CZ-240S-2V(22) | 24                | 26.2 | 52.4 | 56 | 56.4 | A-PET |
| CL543-2074-7-22 | DF11CZ-260S-2V(22) | 26                | 26.2 | 52.4 | 56 | 56.4 | PS    |
| CL543-2075-0-22 | DF11CZ-280S-2V(22) | 28                | 26.2 | 52.4 | 56 | 56.4 | PS    |
| CL543-2076-2-22 | DF11CZ-300S-2V(22) | 30                | 26.2 | 52.4 | 56 | 56.4 | PS    |
| CL543-2078-8-22 | DF11CZ-400S-2V(22) | 40                | 34.2 | 68.4 | 72 | 72.4 | PS    |

DRWING NO.

EDC3-314124-01

PART NO.

DF11CZ-\*DS-2V(22)

CODE NO.

CL543-

HR5

△2/2