

Protect It! 230V Surge Protector with 8 Schuko Type F Outlets, German Plug, 2280 Joules, Tel/Coax Protection

MODEL NUMBER: TLP82NSATD



Description

Tripp Lite's Protect It!™ TLP82NSATD offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP82NSATD offers 8 Schuko type F outets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP82NSATD offers economical AC surge supression
- 2280 joules AC surge suppression shields equipment from surges and line noise
- 8 Schuko outlets protects computers and peripherals
- 2 m cord with German plug
- Lighted ON/OFF switch with circuit breaker
- Protected/Grounded LED's
- Network Protection
- Coax Protection
- · Aerial Adapters
- Internal safety covers protect against accidental contact with unused outlets

Specifications

OVERVIEW	
UPC Code	037332145413

Highlights

- 8 safety outlets
- 2 m cord
- Network protection
- 1 Line coax protection
- Protected/Grounded LED's
- 2280 joule rating

Package Includes

- TLP82NSATD surge suppressor
- 1.8 aerial cable and 2 aerial adapters
- 1.8 m gold coax cable
- 1.8 m network cable
- Instruction manual and warranty information





ОИТРИТ		
Output Receptacles	(8) Schuko Type F	
Output (Watts)	2500	
Circuit Breaker (amps)	10	
Transformer Accommodation	5	
INPUT		
Nominal Input Voltage(s) Supported	230V AC	
Recommended Electrical Service	230V (220-250V)	
Maximum Input Amps	10	
Input Connection Type	German	
Input Cord Length (ft.)	6	
Input Cord Length (m)	1.83	
Voltage Compatibility (VAC)	220-250	
Right-Angle Plug	Yes	
USER INTERFACE, ALERTS & CONTROLS		
Diagnostic LED Details	Protected and Grounded	
SURGE / NOISE SUPPRESSION		
AC Suppression Joule Rating	2280	
DATALINE SURGE SUPPRESSION		
Telephone/DSL Protection	Yes	
Cable (Coax) Protection	Yes	
Cable (Coax) Protection Details	1 line	
Network (Ethernet) Protection	Yes	
Network (Ethernet) Protection Details	1 line	
PHYSICAL		
Shipping Dimensions (hwd / in.)	14.80 x 7.80 x 2.18	
Shipping Dimensions (hwd / cm)	37.59 x 19.81 x 5.54	
Shipping Weight (lbs.)	2.50	
Shipping Weight (kg)	1.13	
Unit Dimensions (hwd / in.)	12.44 x 4.61 x 1.93	
Unit Dimensions (hwd / cm)	31.60 x 11.71 x 4.90	



Tripp Lite1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

Unit Weight (lbs.)	2.3	
Unit Weight (kg)	1.04	
Housing Color	Black	
Receptacle Color	Black	
Color (AC Line Cord)	Black	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies