



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




HC-HV 10/16-TMQ-76/M1PG21S

Order No.: 1773983

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1773983>

Sleeve housing, with double locking latch, height 76 mm, with screw connection, 1x Pg21, lateral cable entry

Commercial data

| | |
|--------------------------|---|
| GTIN (EAN) |  4 017918 115302 |
| Note | Made-to-order |
| sales group | D003 |
| Pack | 10 pcs. |
| Customs tariff | 85389099 |
| Catalog page information | Page 248 (PC-2005) |

Product notes

WEEE/RoHS-compliant since:
03/01/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

| | |
|--------|--------------------------------|
| Note | For contact inserts HC-HV10/16 |
| Design | HV10/16 |
| Height | 76 mm |
| Width | 43 mm |
| Length | 120 mm |

| | |
|---------------------------------|---------------------------|
| Housing type | Sleeve housings |
| Locking type | With double locking latch |
| Cable exit | Lateral |
| Type of the screw connection | 1x Pg21 |
| Pg screw connection | With |
| Wrench size, union nut | 28 mm |
| External cable diameter | 10 mm ... 19 mm |
| Degree of protection | IP65 |
| Ambient temperature (operation) | -40 °C ... 125 °C |
| Housing material | Aluminum, die-cast |
| Housing surface material | Powder-coated, gray |
| Cable gland material | Nickel-plated brass |
| Cable seal material | NBR |
| Material lock | High-grade steel |
| Material grip body interlock | PA-GF |

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;